# **new** generation



## ACE

#### Program 052





#### Front colours



No. 677 cosmos grey matt



No. 672 polar white hgl.

F foiled front



No. 671 anthracite hgl.



no. 675 sand oak



Nr. 695 natural oak

#### carcass colours

\* High gloss carcass for an additional price



No. 177 cosmos grey matt



No. 111 white matt



\*no. 161 white hgl.



\*no. 121 anthracite hgl.



no. 194 sand oak



Nr. 185 natural oak

#### Washbasin colours

#### Cast mineral washbasins



no. 1 white

#### Ceramic washbasins



no. 1 white

#### Glass washbasin



no. 82 optiwhite

#### Handle version



handleless with recessed grip

#### Technique

door with integrated buffered closing

Pull outs and drawers

No. 559
Pull outs and drawers with soft close





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article r	number	Hinge	Surchar- ge high- gloss carcass
Mirrors								
	Mirror LED lighting vertical 6,6 Watt / converter 15 Watt 1010 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D	59	700	720	FSA43	37072		
	Mirror LED lighting vertical 9,3 watt / converter 15 watt 1422 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D	59	1000	720	FSA43	3 1 0 7 2		
//	Mirror LED lighting vertical 11,4 watt / converter 15 watt 1744 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: D	59	1200	720	FSA43	3 1 2 7 2		
Mirror cabin	ets							
	mirror cabinet  1 mirror panel incl. LED lighting vertical 6,6 Watt / converter 15 Watt 1010 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: D	150	700	720	S 2 A 4 3	3 7 S 7 2		
	Additional accessories LED washbasin lighting				PZ 1 (	063 60		
	mirror cabinet  1 mirror panel incl. LED lighting vertical  9,3 watt / converter 15 watt  1423 lumens / 6000 Kelvin  3 mirror doors on wooden-plated  2 central partitions, 3 glass shelves  1 switch socket element  Door width: 288 mm / 412 mm / 288 mm  This product contains a light source with energy efficiency class: D	150	1000	720	S 2 A 4 3	3 1 S 7 2		
	Additional accessories LED washbasin lighting				PZ 1 (	063 90		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets							
	mirror cabinet  1 mirror panel incl. LED lighting vertical  11,4 watt / converter 15 watt 1744 lumens / 6000 Kelvin  3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: D  Additional accessories LED washbasin lighting	150	1200	720		1 0 6 3 12		
Sets - cast m	nineral washbasin							
	Consisting of: washbasin, cast mineral, white, 720 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 711 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	505 505	720 720	515 515		7 0 1 2 1 7 0 1 2 B 1		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ	1 3 6 7 1 4 2 3 1 1 4 1		
	Consisting of: washbasin, cast mineral, white, 1020 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 846 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	505 505	1020 1020	515 515		1 0 1 2 1 1 0 1 2 B 1		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PΖ	1 3 6 7 1 4 2 3 1 1 4 1		

You find information on the the washbasin manufacturer at the beginning of the sales book.

Depth indication corresponds to the carcass depth															Article number		Hinge	Surchar- ge high- gloss carcass
Sets - cast mineral washbasin																		
Consisting of: washbasin, cast mineral, white, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt	505 505	1220 1220	515 515	1	1212													
927 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F  Additional accessories																		
Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				P Z P Z P Z	1 3 6 7 1 4 2 3 1 1 4 1													
Consisting of:  Double washbasin white cast mineral, 1220 mm washbasin base unit 1200 mm  1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled																		
without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 927 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	505 505	1220 1220	515 515	1	1 2 2 C													
Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1													
Sets - glass washbasin																		
Consisting of: Washbasin, glass Optiwhite, 712 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled	500	712	505	SET	7 0 1 2	282												
Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Neutrally bonding silicone for glass washbasins				P Z P Z P Z	1 3 6 7 1 4 2 3 1 2 3 5													

You find information on the the washbasin manufacturer at the beginning of the sales book.

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er Einge	Surcharge high- gloss carcass
Sets - glass	washbasin							
	Consisting of: Washbasin, glass Optiwhite, 1012 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled Additional accessories	500	1012	505	SET	1012	8 2	
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Neutrally bonding silicone for glass washbasins				PZ PZ PZ	1 3 6 7 1 4 2 3 1 2 3 5		
	Consisting of: Washbasin, glass Optiwhite, 1212 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled	500	1212	505	SET	1 2 1 2	8 2	
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Neutrally bonding silicone for glass washbasins				PZ PZ PZ	1 3 6 7 1 4 2 3 1 2 3 5		
•	Consisting of: Double washbasin white cast mineral, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled	500	1212	505	SET	1 2 2 D	8 2	
	Additional accessories							
	Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) Neutrally bonding silicone for glass washbasins				PZ PZ PZ	1 3 6 7 1 4 2 3 1 2 3 5		
Sets - ceram	nic washbasin							
	Consisting of: Washbasin, ceramic, white, 720 mm Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled	500	720	510	SET	7012	K 1	
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3		

Depth indication corresponds to the carcass depth  Sets - ceramic washbasin		Width in mm	Height in mm	Artio	cle numbe	er Hinde	Surchar- ge high- gloss carcass
Consisting of: Washbasin, ceramic, white, 1020 mm Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled  Additional accessories Space-saving drain stench trap DN 40	500	1020	510	SET PZ PZ	1 0 1 2 1 3 6 7 1 4 2 3	K 1	
Space-saving drain stench trap DN 32  Consisting of:  Washbasin, ceramic, white, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing 1 middle panel white pre-milled  Additional accessories	500	1220	510	SET	1212	K 1	
Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32  Consisting of:  Double washbasin white ceramic, 1220 mm washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 1 pull-out with buffered closing 1 middle panel white pre-milled	500	1220	510	P Z P Z	1 3 6 7 1 4 2 3	K 1	
Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)  Tall units				PZ PZ	1 367		
Tall unit 1 door 4 glass shelves 2 pull-outs with buffered closing	300	300 400	1600 1600		0830	4 L/F	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article	numbe	er	Hinge	Surchar- ge high- gloss carcass
Tall units									
1120 240 240	Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing	300	600	1600	HNA 0	8 6 0	4		
Tall unit-she	elf								
238 ;	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	RG 1	0 3 0	0 1		
374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG 1	0 3 0	0 2		
374 I I I 366 I I I 374 I I I	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG 1	0 3 0	0 3		
Central units	S								
	medium-high unit 1 door	300	300		MNA7				
240	1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	400	1136	M N A 7	7 4 A	0 1	L/R	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Central unit	S						
240	medium-high unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	1136	M N A 7 7 6 A 0 1		
· 🗐	medium-high unit	300	300	1136	M N A 7 1 3 A 0 1	L/R	
1120	1 door 3 glass shelves 1 top cover 325 mm deep	300	400	1136	M N A 7 1 4 A 0 1	L/R	
1120	medium-high unit 2 doors 3 glass shelves 1 top cover 325 mm deep	300	600	1136	M N A 7 1 6 A 0 1		
Highboards							
	Highboard	300	300	656	HBA413A01	L/R	
640	1 door 1 glass shelf 1 top cover 325 mm deep	300	400	656	H B A 4 1 4 A 0 1	L/R	
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	HBA416A01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
	Volume of laundry basket: 25 liters	300	300	656	HBA413W01		
	Volume of laundry basket: 35 liters	300	400	656	HBA414W01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
	Volume of laundry basket: 55 liters	300	600	656	HBA416W01		
160 :	Highboard	300	300	816	HBA553A01	L/R	
640	drawer with buffered closing     door     glass shelf     top cover 325 mm deep	300	400	816	H B A 5 5 4 A 0 1	L/R	

esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	HBA556A01		
Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400		HBA553W01 HBA554W01		
Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	HBA556W01		
Wall unit	150	300	640	OGA4130	L/R	
1 door 1 glass shelf	150	400	640	OGA 4140	L/R	
Wall unit 2 doors 1 glass shelf	150	600	640	OGA 4 1 6 0		
Base unit	300	300	496	U N A 3 6 3 A 0 1		
2 pull-outs with buffered closing 1 top cover 325 mm deep	300	400		U N A 3 6 4 A 0 1		
Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	496	U N A 3 6 6 A 0 1		
	1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep  Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 25 liters  Volume of laundry basket: 35 liters  Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 55 liters  Wall unit 1 door 1 glass shelf  Wall unit 2 doors 1 glass shelf  Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep  Base unit 2 pull-outs with buffered closing	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep  Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters  Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 55 liters  300  Wall unit 1 door 1 glass shelf  Wall unit 2 doors 1 glass shelf  Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep  Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep  Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep  Base unit 2 pull-outs with buffered closing	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep  Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket vith wire basket 1 drawer with buffered closing 1 laundry basket: 25 liters  Volume of laundry basket: 35 liters  Wolume of laundry basket: 35 liters  Joban Saket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 55 liters  Wolume of laundry basket: 55 liters  Joban Saket with wire basket 1 top cover 325 mm deep  Volume of laundry basket: 55 liters  Wall unit 1 door 1 glass shelf  Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep  Base unit 2 pull-outs with buffered closing 300 600	Highboard	Highboard   1 drawer with buffered closing   2 doors   1 glass shelf   1 top cover 325 mm deep   2 doors   300   816   H B A 5 5 6 A 0 1   2 doors   300   816   H B A 5 5 3 W 0 1   3 door   3 door	Highboard   1 drawer with buffered closing   2 doors   1 top cover 325 mm deep   1 top cover 3



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surchar- ge high- gloss carcass
Shelves								
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL	1 1 3 0 0	1	
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600			1 1 6 0 0		
Glass shelfs	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL	1 1 9 0 0	3	
<del></del>	Glass shelf incl. metal holder							
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	1 3 4 0 0	8	
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	1 3 6 0 0	8	
	<b>700 mm wide</b> incl. 2 metal brackets	130	700	8	A B G	1 3 7 0 0	8	
	1000 mm wide incl. 3 metal brackets	130	1000	8	ABG	1 3 1 0 0	8	
	1200 mm wide incl. 3 metal brackets	130	1200	8	ABG	1 3 1 2 0	8	


Depth indication co	rresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle number	Hinge	Surchar- ge high- gloss carcass
Push- fit sh	nelf							
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf							
	<b>300 mm widh</b> incl. 2 push-fit holder	150	300	28	SBG	6030		
	<b>400 mm wide</b> incl. 2 push-fit holder	150	400	28	SBG	6 0 4 0		
	600 mm wide incl. 2 push-fit holder	150	600	28	SBG	6060		
	<b>700 mm wide</b> incl. 3 push-fit holder	150	700	28	SBG	6070		
	1000 mm wide incl. 3 push-fit holder	150	1000	28	SBG	6010		
	<b>1200 mm wide</b> incl. 3 push-fit holder	150	1200	28	SBG	6 0 1 2		
Accessorie	es							
A STEELING &	Neutrally bonding silicone for glass washbasins 310 ml cartridge				PΖ	1 2 3 5		
1	Towel holder chrome gloss front opened to fit on carcass at side  Please observe carcass depth and furniture height	380	50	10	PΖ	112745	5	
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	PΖ	1137	I	
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	PΖ	1 1 3 7	2	





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	ər	Hinge	ge h glo	char- high- oss cass
Accessories	3									
	Container transparent with single fixing option can be combined with mounting rails - PZ 1237 L	84	84	65	PΖ	1 2 3 7	B 1			
	Container transparent with double fixing option can be combined with mounting rails - PZ 1237 L	168	84	65	PΖ	1 2 3 7	B 2			
	Container transparent with triple fixing option can be combined with mounting rails - PZ 1237 L	251	84	65	PΖ	1 2 3 7	В 3			
	Positioning strip white with single fixing option can be combined with storage boxes - PZ 1237 B	27	83	9	PΖ	1 2 3 7	L 1			
	Positioning strip white with double fixing option can be combined with storage boxes - PZ 1237 B	27	167	9	PΖ	1 2 3 7	L 2			
	Positioning strip white with triple fixing option can be combined with storage boxes - PZ 1237 B	27	250	9	PΖ	1 2 3 7	L 3			
	Positioning strip white with sixfold fixing option can be combined with storage boxes - PZ 1237 B	27	504	9	PΖ	1 2 3 7	L 6			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	icle numbe	er	Hinge	Surchar- ge high- gloss carcass
Accessories	5								
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	PΖ	1 2 3 3			
7	<b>Motion sensor</b> for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable	20	88	45	PΖ	1141			
	LED washbasin lighting 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PΖ	1063	6 0		
	LED washbasin lighting 3,9 Watt / 287 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PΖ	1063	9 0		
	LED washbasin lighting 5,3 Watt / 371 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	1063	1 2		
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				PΖ	1 3 6 7			
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32				PZ	1 4 2 3			

#### Program 052 - dimensional drawings







Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.


#### Program 052 - dimensional drawings


SET 1012 K1

SET 1212 K1


**SET 122D K1** 







electrical connections for mirror cabinets



#### Cast mineral:

#### Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

The water temperature must not exceed  $55^{\circ}$  C /  $131^{\circ}$  F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.