

new
generation

D.LIGHT
Program 065



Front colours



No. 777 cosmos grey matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 793 noble white matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



Nr. 785 natural oak

F foiled front

M Melamine coated front with ABS-edge

carcass colours

* High gloss carcass for an additional price



No. 177
cosmos grey
matt



no. 191
quarz grey matt



No. 193
titanium grey
matt



No. 111
white matt



*no. 161
white hgl.



no. 170
Halifax oak



no. 150
cardiff oak



no. 151
Cuneo oak brown



no. 171 Cuneo
oak natural



Nr. 185
natural oak

Handle versions

No. 334
Strip handle chrome



handle lenght 194
mm

no. 343
Strip handle aluminium matt



handle lenght 194
mm

No. 344
Strip handle black matt



handle lenght 194
mm

No. 294 bar handle chrome



handle bore 96 mm / 384 mm

Technique

No. 559



Pull outs and drawers

door with integrated buffered
closing

Washbasin colours

Cast mineral washbasins



No. 1 white

Mirror cabinets

Series A



Series B









Illustrations and specifications are without obligation. Technical modifications reserved.

2022/2023




Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 065 - type list




The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirrors Series A							
	Mirror 1 LED surface-mounted lamp 634 mm wide 9,28 watt / Converter 15 watt 731 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: G	28	700	640	F S A 4 1 7 B 3 0		
	Mirror 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 15 watt 1109 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: G	28	1000	640	F S A 4 1 1 B 3 0		
	Mirror 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 15 watt 1109 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: G	28	1200	640	F S A 4 1 2 B 3 0		
Mirrors Series B							
	Mirror 1 LED surface-mounted lamp 600 mm wide 7,8 watt / Converter 15 watt 910 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: F	28	700	640	F S A 4 1 7 B 0 1		
	Mirror 1 LED surface-mounted lamp 900 mm wide 9,7 watt / Converter 15 watt 1120 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: F	28	1000	640	F S A 4 1 1 B 0 1		
	Mirror 1 LED surface-mounted lamp 900 mm wide 9,7 watt / Converter 15 watt 1120 lumens / 6500 Kelvin 1 switch element This product contains a light source with energy efficiency class: F	28	1200	640	F S A 4 1 2 B 0 1		




Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Mirror cabinets Series A								
	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 634 mm wide 9,28 watt / Converter 15 watt 731 lumens / 6500 Kelvin 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	172	720	640	SET 4 3 7 D 0 2			
incl. handle blocks					P Z	1 0 6 3 6 0		
	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1109 lumens / 6500 Kelvin 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	172	1020	640	SET 4 3 1 D 0 2			
incl. handle blocks					P Z	1 0 6 3 9 0		
	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 934 mm wide 14,08 watt / converter 30watt 1109 lumens / 6500 Kelvin 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G</p> <p>Additional accessories LED washbasin lighting</p>	172	1220	640	SET 4 3 2 D 0 2			
incl. handle blocks					P Z	1 0 6 3 1 2		

Program 065 - type list





Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series B							
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 600 mm wide 7,8 watt / Converter 15 watt 910 lumens / 6500 Kelvin 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	172	720	640	SET 4 3 7 D 0 1		
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 900 mm wide 9,7 watt / Converter 15 watt 1120 lumens / 6500 Kelvin 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	172	1020	640	SET 4 3 1 D 0 1		
 <p>incl. handle blocks</p>	<p>mirror cabinet 3 mirror doors on wooden-plated side doubling 10 mm each 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 900 mm wide 9,7 watt / Converter 15 watt 1120 lumens / 6500 Kelvin 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting</p>	172	1220	640	SET 4 3 2 D 0 1		

Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Sets							
 <p>III. with strip handles</p>	<p>Consisting of: washbasin, cast mineral, white, 732 mm Washbasin base unit 700 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p>without LED lighting</p>	515	732	503	SETDL701		
	<p>with LED lighting 1 LED converter 12 V, 15 Watt 302 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515	732	503	SETDL70B1		
					PZ 1 3 6 7 PZ 1 4 2 3 PZ 1 1 4 1		
 <p>III. with strip handles</p>	<p>Consisting of: washbasin, cast mineral, white, 1032 mm Washbasin base unit, 1000 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p>without LED lighting</p>	515	1032	503	SETDL101		
	<p>with LED lighting 1 LED converter 12 V, 15 Watt 432 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515	1032	503	SETDL10B1		
					PZ 1 3 6 7 PZ 1 4 2 3 PZ 1 1 4 1		
 <p>III. with strip handles</p>	<p>Consisting of: washbasin, cast mineral, white, 1232 mm washbasin base unit 1200 mm side doubling 10 mm each 1 pull-out with cushioned closure and syphon cutout 1 pull-out with buffered closing</p>						
	<p>without LED lighting</p>	515	1232	503	SETDL121		
	<p>with LED lighting 1 LED converter 12 V, 15 Watt 522 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting</p>	515	1232	503	SETDL12B1		
					PZ 1 3 6 7 PZ 1 4 2 3 PZ 1 1 4 1		






You find information on the the washbasin manufacturer at the beginning of the sales book.

Program 065 - type list






Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass			
Sets									
 <p>III. with strip handles</p>	<p>Consisting of: Double washbasin white cast mineral, 1232 mm Washbasin base unit, 2x 600 mm side doubling 10 mm each 2 pull-outs with buffered closing and 2 syphon cut-outs 2 pull-outs with buffered closing</p>			515	1232	503	S E T D L 2 D 1		
<p>without LED lighting</p>			515	1232	503	S E T D L 2 D B 1			
<p>with LED lighting 1 LED converter 12 V, 15 Watt 522 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F</p>									
<p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting</p>									
				P Z 1 3 6 7					
				P Z 1 4 2 3					
				P Z 1 1 4 1					
Tall units									
 <p>III. with strip handles</p>	<p>Tall unit 2 doors 1 glass shelf (top) 1 glass shelf 1 open compartment side doubling 10 mm each</p>			322	320	1630	H N A 0 2 3 A 2 D	L/R	
			322	420	1630	H N A 0 2 4 A 2 D	L/R		
 <p>III. with strip handles</p>	<p>Tall unit 4 doors 1 glass shelf (top) 1 glass shelf 1 open compartment side doubling 10 mm each</p>			322	620	1630	H N A 0 2 6 A 2 D		
 <p>III. with strip handles</p>	<p>Tall unit with laundry basket 1 door 1 glass shelf 1 open compartment 1 laundry basket with wire basket side doubling 10 mm each</p>			322	320	1630	H N A 0 2 3 A W D	L/R	
			322	420	1630	H N A 0 2 4 A W D	L/R		
			<p>Volume of laundry basket: 25 liters</p>						
			<p>Volume of laundry basket: 35 liters</p>						

You find information on the the washbasin manufacturer at the beginning of the sales book.








Program 065 - type list

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
Tall units						
 <p>640 350 640</p>	322	620	1630	HNA026AWD		
<p>Tall unit with laundry basket 2 doors 1 glass shelf 1 open compartment 1 laundry basket with wire basket Volume of laundry basket: 55 liters side doubling 10 mm each</p>						
III. with strip handles						
 <p>640 350 160 240 240</p>	322	320	1630	HNA023A3D	L/R	
<p>Tall unit 1 door 1 glass shelf 1 open compartment 1 drawer with buffered closing 2 metal pull outs with buffered closing and rail side doubling 10 mm each</p>	322	420	1630	HNA024A3D	L/R	
III. with strip handles						
 <p>640 350 160 240 240</p>	322	620	1630	HNA026A3D		
<p>Tall unit 2 doors 1 glass shelf 1 open compartment 1 drawer with buffered closing 2 metal pull outs with buffered closing and rail side doubling 10 mm each</p>						
III. with strip handles						
Tall unit-shelf						
 <p>238 238 238</p>	150	300	1600	RG 103001		
<p>Tall unit-shelf with open shelf space in carcass colour</p>						
 <p>374 366 366 374</p>	150	300	1600	RG 103002		
<p>Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour</p>						






Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
<h3>Tall unit-shelf</h3>  <p>Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour</p>		150	300	1600	R G	1 0 3 0 0 3			
<h3>Central units</h3>									
 <p>medium-high unit 1 door 4 glass shelves side doubling 10 mm each 1 top cover 325 mm deep</p> <p>III. with strip handle</p>		325 325	325 425	1290 1290	M N A 8 1 3 A M N A 8 1 4 A	D	L/R L/R		
 <p>medium-high unit 2 doors 4 glass shelves side doubling 10 mm each 1 top cover 325 mm deep</p> <p>III. with strip handles</p>		325	625	1290	M N A 8 1 6 A	D			
 <p>medium-high unit 1 door 2 glass shelves 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep</p> <p>III. with strip handles</p>		325 325	325 425	1290 1290	M N A 8 7 3 A M N A 8 7 4 A	D	L/R L/R		
 <p>medium-high unit 2 doors 2 glass shelves 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep</p> <p>III. with strip handles</p>		325	625	1290	M N A 8 7 6 A	D			






Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass
Highboards								
 <p>800</p> <p>III. with strip handle</p>	<p>Highboard 1 door 2 glass shelves side doubling 10 mm each 1 top cover 325 mm deep</p>	325	325	810	H B A 5 1 3 A	D	L/R	
		325	425	810	H B A 5 1 4 A	D	L/R	
 <p>800</p> <p>III. with strip handles</p>	<p>Highboard 2 doors 2 glass shelves side doubling 10 mm each 1 top cover 325 mm deep</p>	325	625	810	H B A 5 1 6 A	D		
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p>Highboard 1 drawer with buffered closing 1 door 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep</p>	325	325	810	H B A 5 5 3 A	D	L/R	
		325	425	810	H B A 5 5 4 A	D	L/R	
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p>Highboard 1 drawer with buffered closing 2 doors 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep</p>	325	625	810	H B A 5 5 6 A	D		
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p>Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket side doubling 10 mm each 1 top cover 325 mm deep</p>							
	<p>Volume of laundry basket: 25 liters</p> <p>Volume of laundry basket: 35 liters</p>	325	325	810	H B A 5 5 3 AWD			
		325	425	810	H B A 5 5 4 AWD			
 <p>160</p> <p>640</p> <p>III. with strip handles</p>	<p>Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters side doubling 10 mm each 1 top cover 325 mm deep</p>	325	625	810	H B A 5 5 6 AWD			
 <p>480</p> <p>301</p> <p>III. with strip handle</p>	<p>Highboard 1 door 1 glass shelf 1 open compartment side doubling 10 mm each 1 top cover 325 mm deep</p>	325	325	810	H B A 5 2 3 A	D	L/R	
		325	425	810	H B A 5 2 4 A	D	L/R	





Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
 <p>480 301</p> <p>III. with strip handle</p>	<p>Highboard 2 doors 1 glass shelf 1 open compartment side doubling 10 mm each 1 top cover 325 mm deep</p>	325	625	810	H B A 5 2 6 A D		
Wall units							
 <p>640</p> <p>III. with strip handle</p>	<p>Wall unit 1 door 1 glass shelf side doubling 10 mm each</p>	172	320	640	O G A 4 1 3 A 1 G	L/R	
		172	420	640	O G A 4 1 4 A 1 G	L/R	
 <p>640</p> <p>III. with strip handles</p>	<p>Wall unit 2 doors 1 glass shelf side doubling 10 mm each</p>	172	620	640	O G A 4 1 6 A 1 G		
Base units							
 <p>240 240</p> <p>III. with strip handles</p>	<p>Base unit 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep</p>	325	325	490	U N A 3 6 3 A D		
		325	425	490	U N A 3 6 4 A D		
 <p>240 240</p> <p>III. with strip handles</p>	<p>Base unit 2 pull-outs with buffered closing side doubling 10 mm each 1 top cover 325 mm deep</p>	325	625	490	U N A 3 6 6 A D		









Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surchar- ge high- gloss carcass
Shelves									
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	R	G	L 1 1 3 0 0 1		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	R	G	L 1 1 6 0 0 2		
	functional shelf Edges are cut with a mitre vertical and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	R	G	L 1 1 9 0 0 3		
Benches									
	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black	450	600	508	S	E	T B A N K 6 W		
		450	600	508	S	E	T B A N K 6 S		
	Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour cushion in creamy-white cushion in black	450	900	508	S	E	T B A N K 9 W		
		450	900	508	S	E	T B A N K 9 S		

Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
Glass shelves									
	Glass shelf incl. metal holder 400 mm wide incl. 2 metal brackets 600 mm wide incl. 2 metal brackets 700 mm wide incl. 2 metal brackets 1000 mm wide incl. 3 metal brackets 1200 mm wide incl. 3 metal brackets	130	400	8	A B G 1 3 4 0 0 8				
		130	600	8	A B G 1 3 6 0 0 8				
		130	700	8	A B G 1 3 7 0 0 8				
		130	1000	8	A B G 1 3 1 0 0 8				
		130	1200	8	A B G 1 3 1 2 0 8				
Push-fit shelf									
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf 300 mm wide incl. 2 push-fit holder 400 mm wide incl. 2 push-fit holder 600 mm wide incl. 2 push-fit holder 700 mm wide incl. 3 push-fit holder 1000 mm wide incl. 3 push-fit holder 1200 mm wide incl. 3 push-fit holder	150	300	28	S B G 6 0 3 0				
		150	400	28	S B G 6 0 4 0				
		150	600	28	S B G 6 0 6 0				
		150	700	28	S B G 6 0 7 0				
		150	1000	28	S B G 6 0 1 0				
		150	1200	28	S B G 6 0 1 2				
Accessories									
	Towel holder chrome gloss front opened to fit on carcass at side	380	50	10	P Z 1 1 2 7 4 5				
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	P Z 1 1 3 7 1				



Program 065 - type list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	P Z	1 1 3 7	2		
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	P Z	1 2 3 3			
	Motion sensor for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable	20	88	45	P Z	1 1 4 1			
	LED washbasin lighting 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	P Z	1 0 6 3	6 0		
	LED washbasin lighting 3,9 Watt / 287 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	P Z	1 0 6 3	9 0		
	LED washbasin lighting 5,3 Watt / 371 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	P Z	1 0 6 3	1 2		
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				P Z	1 3 6 7			
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32				P Z	1 4 2 3			

Program 065 - dimensional drawings



SET DL70 1

SET DL10 1




SET DL12 1

SET DL2D 1



electrical connections for mirror cabinets



Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.