

Fine line

Program 061





Front colours



No. 764 Stonegrey matt




No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



Nr. 785 natural oak



no. 794 sand oak



Melamine coated front with ABS-edge

carcass colours

* High gloss carcass for an additional price



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey



no. 170 Halifax oak



no. 180 Charleston oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



Nr. 185 natural oak



no. 194 sand oak

Washbasin colours

STONEPLUS washbasins



No. 61 white

STONEPLUS

New, harder, easy-care surface.

Ceramic washbasins



no. 1 white

Handle version



No. 292 bar handle chrome

handle bore 96 mm / 384 mm

Technique

door with integrated buffered closing

Pull outs and drawers

No. 554

Mirror cabinets

Series A double mirrored



Series B simply mirrored



Illustrations and specifications are without obligation. Technical modifications reserved. 2022/2023



Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle nur	nbei		Hinge	Surchar- ge high- gloss carcass
Mirror cabin	et, series A									
Doors are do	ouble mirrored									
incl. handle blocks	Mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 8,9 watt / Converter 15 watt 731 lumens / (2700 -) 6500 Kelvin Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F	150	602	659	S 2 A	4 3 6	0 7	7 8	L/R	
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PZ PZ PZ	1 0 6 1 1 5 1 0 2	0 6			
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt / converter 30 Watt 1115 lumens / (2700 -) 6500 Kelvin Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	902		PZ PZ PZ	1 0 6 1 1 5 1 0 2	3 9	90		
incl. handle blocks	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt 1492 lumens / (2700 -) 6500 Kelvin Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting	150	1202		PZ PZ PZ	1 0 6 1 1 5 1 0 2	3 1 0 1	2		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numb	er	Hinge	!	Surchar- ge high- gloss carcass
Mirror cabin	et, series B									
Doors on wo	ooden material									
incl. handle blocks	Mirror cabinet 2 mirror doors on wooden-plated 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 8,9 watt / Converter 15 watt 731 lumens / (2700 -) 6500 Kelvin Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F	150	602	659	S 2 A	4 3 6 S	0 8	L/R		
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting					1 0 6 3 1 1 5 0 1 0 2 0				
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt / converter 30 Watt 1115 lumens / (2700 -) 6500 Kelvin Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F	150	902	659	S 2 A	4 3 9 S	0 8			
	Additional accessories LED washbasin lighting LED washbasin lighting emotion Emotion lighting				PΖ	1 0 6 3 1 1 5 0 1 0 2 0				
incl. handle blocks	Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt 1492 lumens / (2700 -) 6500 Kelvin Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting	150	1202	659	PΖ	4 3 2 S 1 0 6 3	12			
	LED washbasin lighting emotion Emotion lighting					1 150 1 020				

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle ı	num	nbe	r	Hinge	Surc ge h glo carc	igh- iss
STONEPLUS	S washbasins											
	STONEPLUS - washbasin white	400	620	15	WMS	4 (6	0	6 1			
STONEPLUS	incl. CLOU drain and overflow system in chrome											
	can be combined with WUA 3760 28											
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).											
	STONEPLUS - washbasin white	400	920	15	WMS	4 (9	0	6 1			
STONE-PLUS [®]	incl. CLOU drain and overflow system in chrome											
JIMMI KITIJ	can be combined with WUA 3790 28											
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).											
	STONEPLUS - washbasin	400	1220	15	WMS	4 1	2	0	6 1			
STONE-PLUS®	white incl. CLOU drain and overflow system in chrome											
2171131 61112	can be combined with WUA 3712 28											
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).											
Washbasin for STONEP	base units LUS washbasins											
	Washbasin base unit 1 metal pull out unit with buffered closing	370	600	480	W U A	3 7	7 6	0	2 8			
	1 metal pull-out with buffered closing incl. drawer rail											
	for STONEPLUS washbasins											
	Additional accessories Space-saving drain stench trap DN 40											
	Space-saving drain stench trap DN 32				P Z P Z		3 6 4 2					
	Washbasin base unit	370	900	480	WUA	3 7	7 Q	0	2 8			
	metal pull out unit with buffered closing metal pull-out with buffered closing incl. drawer rail	370	300	400	WOA	3 1	3	١	2 0			
	for STONEPLUS washbasins											
	Additional accessories											
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PΖ	1	3 6	7				
	,				PΖ		4 2					
	on the the weekbasin manufacturer at the hadisping of the											

You find information on the the washbasin manufacturer at the beginning of the sales book.
*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	Article number		Article number		Article number		ge gl	rchar- high- loss rcass
Washbasin	base units												
for STONEP	LUS washbasins												
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for STONEPLUS washbasins	370	1200	480	WUA	3 7 1 2 2	2 8						
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3							
Ceramic wa	shbasins												
	Ceramic washbasin white with overflow	450	650	60	WTK	7065	1						
	can be combined with WUA 3760 27												
	Ceramic washbasin white with overflow	450	950	60	WTK	7 0 9 5	1						
	can be combined with WUA 3790 27												
***************************************	Ceramic washbasin white with overflow can be combined with WUA 3712 27	450	1250	60	WTK	7 1 2 5	1						
Washbasin													
for ceramic	washbasins												
	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail for ceramic washbasins	390	600	485	WUA	3 7 6 0 2	2 7						
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3							

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artic	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Washbasin base units								
for ceramic washbasins								
Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. draw for ceramic washbasins	390 wer rail	900	485	WUA	3790	2 7		
Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z P Z	1 3 6 7 1 4 2 3			
Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. draw for ceramic washbasins Additional accessories	390 wer rail	1200	485	WUA	3712	2 7		
Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ PZ	1 3 6 7 1 4 2 3			
Tall units								
, Tall unit	300	300	1600	HNA	0830	4 L	/R	
1 door 4 glass shelves 2 metal pull-outs with buffered closing	300	400	1600	HNA	0840	4 L	/R	
Tall unit 2 doors 4 glass shelves 2 metal pull-outs with buffered closing	300	600	1600	HNA	0 8 6 0	4		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800 160 320 320 160	Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing	300 300	300 400	1600 1600	H N A 0 9 3 0 H N A 0 9 4 0	L/R L/R	
800	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing	300	600	1600	H N A 0 9 6 0		
800 160 320 320	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing	300	300	1600	H N A 0 9 3 1 5 M	L/R	
800 160 320 320 320	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 metal pull-outs with buffered closing	300	600	1600	H N A 0 9 6 1 5 M		
800	Tall unit 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) Variable in width: please quote the exact dimension of carcass depth.	300 300 150-299	300 400 300	1600	H N A O 3 3 0 H N A O 3 4 0 H V A O 3 3 0	L/R L/R	
		150-299	400		H V A 0 3 4 0	L/R	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article numbe	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600	1600	H N A 0 3 6 0		
800	Variable in width: please quote the exact dimension of carcass depth.	150-299	600	1600	H V A 0 3 6 0		
800	Tall unit 1 aluminium framed door with satined glass 1 door 2 glass shelves (top) 2 adjustable shelves (bottom)	300	300	1600	H N A 0 3 3 1	5 L/R	
800	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1600	H V A 0 3 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600		H N A 0 3 6 1	5	
800	Variable in width: please quote the exact dimension of carcass depth.	150-299	600	1600	H V A 0 3 6 1		
800	Tall unit for brooms 2 strapped doors 5 glass shelves	300	300 400		H N A O 3 3 0 2		
800	Tall unit for brooms 2 strapped doors left 2 strapped doors right 5 continuously glass shelves	300	600	1600	H N A 0 3 6 0	1	

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number
Tall units					
320 160 480	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	300 400		H N A 0 2 3 0 0 1 L/R H N A 0 2 4 0 0 1 L/R
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	H N A 0 2 6 0 0 1
320	Tall unit 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf	300	300 400		H N A 0 2 3 0 0 2 L/R H N A 0 2 4 0 0 2 L/R
640 320 640	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf	300	600	1600	H N A 0 2 6 0 0 2
640 160 160 640	Tall unit 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 1 door 1 glass shelf	300	300		H N A 0 4 3 0 0 1 L/R H N A 0 4 4 0 0 1 L/R

Please observe suitable accessories in the separate index.



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article	number	Hinge	Surchar- ge high- gloss carcass
Tall units								
640	Tall unit 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 2 doors 1 glass shelf	300	600	1600	HNA 0	4 6 0 0	1	
800	Tall unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf	300 300	300 400		HNAO:		L/R L/R	
160	Tall unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA 0	5 6 0		
160	Tall unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 drawer with buffered closing 1 door 1 glass shelf	300	300	1600	HNA 0	5 3 1	L/R	
800	Tall unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	HNA 0	5 6 1		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
800	Tall unit with laundry basket 1 door 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300 300	300 400		H N A 0 5 3 0 H N A 0 5 4 0	W L/R W L/R	
800	Tall unit with laundry basket 2 doors 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters	300	600	1600	H N A 0 5 6 0	w	
800	Tall unit with laundry basket 1 aluminium framed door with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 25 liters	300	300	1600	H N A 0 5 3 1	W L/R	
800	Tall unit with laundry basket 2 aluminium framed doors with satined glass 2 glass shelves 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters	300	600	1600	H N A 0 5 6 1	w	
800 160 640 10000000000000000000000000000	Tall unit with laundry pull out 2 doors 2 glass shelves (top) 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters	300	600	1600	H N A 0 5 6 0 1	W	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Artio	cle numbe	er	Hinge	Surchar- ge high- gloss carcass
Tall unit-she	elf								
238 238 238 238 238 238 238 238 238 238	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G	1030	0 1		
374 366 366 374 374 374 374 374 374 374 374 374 374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 2		
374 1 1 366 366 374 1 1 374 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 3		
oonaar ame	-								
	medium-high unit	300	300	1308	MNA	8 7 3 A	7	L/R	
240	1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	400	1308	MNA	8 7 4 A	7	L/R	
240	medium-high unit 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	1308	MNA	876A	7		
160	medium-high unit 1 door 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300 400			8 8 3 A 8 8 4 A			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Surch ge hig glos carca	gh-
Central unit	S						
160	medium-high unit 2 doors 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 A 7 M		
800 160	medium-high unit 1 aluminium framed door with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	300	1308	M N A 8 8 3 B 7 M	L/R	
160	medium-high unit 2 aluminium framed doors with satined glass 2 glass shelves (top) 1 metal pull-out with buffered closing, 1 drawer with buffered closing 1 top cover 330 mm deep	300	600	1308	M N A 8 8 6 B 7 M		
· 🗐	medium-high unit	300	300	1308	M N A 8 1 3 A 7	L/R	
1280	1 door 4 glass shelves 1 top cover 330 mm deep	300	400	1308	M N A 8 1 4 A 7	L/R	
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1308	M V A 8 1 3 0	L/R	
÷	Top cover will be adapted to the cupboard width.	150-299	400	1308	M V A 8 1 4 0	L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 330 mm deep	300	600	1308	MNA816A 7		
•	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	1308	M V A 8 1 6 0		
	medium-high unit with inside drawers	300	300	1308	M N A 8 4 3 A 7	L/R	\neg
1280	1 door 2 inside metal-drawer with buffered closing 1 glass shelf 1 top cover 330 mm deep	300	400	1308	MNA844A 7	L/R	
1280	medium-high unit with inside drawers 2 doors 2 continuously inside metal-drawer with buffered closing 1 continuous glass shelf 1 top cover 330 mm deep	300	600	1308	M N A 8 4 6 A 7		
Diagram	baanya ayitahla aggagariga in the ganarata inday						

Please observe suitable accessories in the separate index.



Depth indication corresponds to the carcass depth Central units		Depth in mm	Width in mm	Height in mm			Hinge	Surcharge high- gloss carcass
640 (100 miles) (1	medium-high unit with laundry pull out 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters 1 top cover 330 mm deep	300	600	1308	M N A 8 3 6 A	1 W		
Highboards								
	Highboard	300	300	828	H B A 5 1 3 A	7	L/R	
800	1 door 2 glass shelves 1 top cover 330 mm deep	300	400	828	HBA 5 1 4 A		L/R	
‡	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	828	HBVA513		L/R	
	Top cover will be adapted to the cupboard width.	150-299	400	828	HBV A 5 1 4		L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 330 mm deep Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	300	600	828 828	HBA 5 1 6 A			
800	Highboard 1 aluminium framed door with satined glass 2 glass shelves 1 top cover 330 mm deep	300	300	828	H B A 5 1 3 E	7	L/R	
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	300	828	HBVA513	1	L/R	
800	Highboard 2 aluminium framed doors with satined glass 2 glass shelves 1 top cover 330 mm deep	300	600	828	HBA516E	7		
	Variable in width: please quote the exact dimension of carcass depth. Top cover will be adapted to the cupboard width.	150-299	600	828	HBVA516	1		
800 000000 000000 0000000 0000000	Highboard with laundry pull out 2 doors 1 laundry pull out with wire basket 1 top cover 330 mm deep							
000000	Volume of laundry pull out: 40 liters	300	600	828	HBA 5 1 6 A	1 W		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
160 320 320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300 300	300 400	828 828	HBA563A7M HBA564A7M		
320	Highboard 1 drawer with buffered closing 2 metal pull-outs with buffered closing 1 top cover 330 mm deep	300	600	828	HBA 5 6 6 A 7 M		
160	Highboard	300	300	828	H B A 5 5 3 A 7 M	L/R	
640	1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 330 mm deep	300	400	828	HBA 5 5 4 A 7 M	L/R	
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 330 mm deep	300	600	828	HBA 5 5 6 A 7 M		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep						
* LIV	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300 400	828 828	HBA553A7W HBA554A7W		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 330 mm deep Volume of laundry basket: 55 liters	300	600	828	H B A 5 5 6 A 7 W		
640 000000 0000000000000000000000000000	Highboard with laundry pull out 1 drawer with buffered closing 2 doors 1 laundry pull out with wire basket 1 top cover 325 mm deep Volume of laundry pull out: 40 liters	300	600	828	H B A 5 5 6 A 1 W		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high- gloss carcass
Wall units							
· ()	Wall unit	150	300	640	OGA4130	L/R	
	1 door 1 glass shelf	150	400	640	OGA4140	L/R	
640							
; L/	Variable in width: please quote the exact dimension of carcass depth.	151-300	300	640	O V A 4 1 3 0	L/R	
		151-300	400	640	O V A 4 1 4 0	L/R	
		.0.000	.00	0.0			
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA4160		
	Variable in width:						
* L/	please quote the exact dimension of carcass depth.	151-300	600	640	O V A 4 1 6 0		
	Wall unit	230	600	320	OMA2160 K		
320	1 flap door,	200	000	020			
+)							
Daga!ta							
Base units							
160	Base unit 1 drawer with buffered closing	300 300	300 400	508 508	U N A 3 2 3 A 7 N U N A 3 2 4 A 7 N		
320	1 door	000	400	000	O N A O Z 4 A / II		
÷	1 top cover 330 mm deep						
	Base unit	300	600	508	U N A 3 2 6 A 7 N	ı	
160	1 drawer with buffered closing 2 doors						
320	1 top cover 330 mm deep						
+							
	Base unit	300	300	508	UNA363A 7		
240	2 pull-outs with buffered closing 1 top cover 330 mm deep	300	400	508	U N A 3 6 4 A 7		
240	·						
	Base unit	300	600	508	UNA366A 7		
240	2 pull-outs with buffered closing	300	000	308	ONA 3 6 6 A 7		
240	1 top cover 330 mm deep						
2-10 _†							
	Base unit	300	300	508	U N A 3 4 3 A 7 M		
160	1 drawer with buffered closing	300	400	508	U N A 3 4 4 A 7 N		
320	1 metal pull-out with buffered closing, 1 top cover 330 mm deep		.50				
* L	•						
160	Base unit	300	600	508	U N A 3 4 6 A 7 M		
	drawer with buffered closing metal pull-out with buffered closing,						
320	1 top cover 330 mm deep						
	ble acceptains in the congrets index						

	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle r	numk	er	Hinge	Surchar- ge high- gloss carcass
Base units										
320	Base unit 1 flap door, 1 top cover 260 mm deep	230	600	348	UMA	2 1	6 <i>A</i>	7 K	(
Shelves										
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL	1 1	3 (0 0 1		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL	1 1	6 (0 0 2	2	
Laundryrolli	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL	1 1	9 (0 0 3	3	
640	Laundryrolli 1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour	470	470	756	WRS	4 0	47			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Benches							
160	Bench 1 shelf 1 seat cushion in imitation leather Colour version corresponds to the carcass colour						
, u	cushion in creamy-white	450	600	508	SETBANK 6 W		
	cushion in black	450	600	508	SETBANK 6 S		
160 242	Bench 2 shelves 1 seat cushion in imitation leather Colour version corresponds to the carcass colour						
	cushion in creamy-white	450	900	508	SETBANK9W		
	cushion in black	450	900	508	SETBANK9S		
Glass shelfs	5						
<u> </u>	Glass shelf						
	incl. metal holder						
	400 mm wide incl. 2 metal brackets	130	400	8	A B G 1 3 4 0 0 8		
	600 mm wide incl. 2 metal brackets	130	600	8	A B G 1 3 6 0 0 8		
	900 mm wide incl. 3 metal brackets	130	900	8	A B G 1 3 9 0 0 8		
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G 1 3 1 2 0 8		
Push- fit she	elf						
	Push-fit shelf with ABS thick edge all around incl. holders for push fit shelf						
	300 mm widh incl. 2 push-fit holder	150	300	28	S B G 6 0 3 0		
	400 mm wide incl. 2 push-fit holder	150	400	28	S B G 6 0 4 0		
	600 mm wide incl. 2 push-fit holder	150	600	28	S B G 6 0 6 0		
	900 mm wide incl. 3 push-fit holder	150	900	28	SBG 6 0 9 0		
	1200 mm wide incl. 3 push-fit holder	150	1200	28	S B G 6 0 1 2		

Program 061 - bathroom variations

FLS-6160-	1		
 mirror cabinet Series A STONEPLUS washbasin, 600 mm Washbasin base unit 	S 2 A 4 3 6 0 7 8 WM S 4 0 6 0 6 1 WU A 3 7 6 0 2 8		
			600 mm wide
FLK-0160-	1		
1 mirror cabinet Series A 1 ceramic washbasins, white, 650 mm 1 Washbasin base unit	S 2 A 4 3 6 0 7 8 W T K 7 0 6 5 1 W U A 3 7 6 0 2 7		
			650 mm wide
FLS-6190-			
 1 mirror cabinet Series A 1 STONEPLUS washbasin, 900 mm 1 Washbasin base unit 	S 2 A 4 3 9 0 7 8 WM S 4 0 9 0 6 1 WU A 3 7 9 0 2 8		
			900 mm wide
FLK-0190-			
 mirror cabinet Series A ceramic washbasins, white, 950 mm Washbasin base unit 	S 2 A 4 3 9 0 7 8 WT K 7 0 9 5 1 WU A 3 7 9 0 2 7		
		•	
			950 mm wide


Program 061 - bathroom variations

	FLS-6112-	1		
1 1 1	mirror cabinet Series A STONEPLUS washbasin, 1.200 mm Washbasin base unit	S 2 A 4 3 1 2 7 8 W M S 4 1 2 0 6 1 W U A 3 7 1 2 2 8		
				1200 mm wide
	FLK-0112-	1		
1 1 1	mirror cabinet Series A ceramic washbasins, white, 1250 mm Washbasin base unit	S 2 A 4 3 1 2 7 8 WT K 7 1 2 5 1 WU A 3 7 1 2 2 7		
			5	
				1250 mm wide


Program 061 - dimensional drawings

WMS 4060 61

WMS 4090 61



WMS 4120 61




WTK 7065 1

312


490 - 530


WTK 7095 1


WTK 7125 1




300










electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

061.22