new generation

VUELTA

Program 054








Front colours



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.

F | foiled front



no. 680 Charleston oak



no. 794 sand oak



Nr. 785 natural oak

E

carcass colours

* High gloss carcass for an additional price



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 180 Charleston oak



no. 194 sand oak



Nr. 185 natural oak

Washbasin colours

Cast mineral washbasins



No. 1 white

Handle version



No. 320 bar handle chrome

handle-borehole distance for straight fronts: 96 mm / 384 mm



No. 350 bar handle black

handle-borehole distance for straight fronts: 96 mm / 384 mm

Technique

door with integrated buffered closing

Pull outs and drawers

No. 559 Pull outs and drawers with soft close



Mirror cabinets

Series A



Series B



Series C





Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	
Mirror cabin	ets Series A								
	mirror cabinet 1 LED surface-mounted lamp 9,7 watt / Converter 15 watt 1140 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	700 700	640 640	l .	437S 437S			
	mirror cabinet 1 LED surface-mounted lamp 9,7 watt / Converter 15 watt 1140 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	900	640 640	l .	439S 439S 1 063	F 1		
	mirror cabinet 1 LED surface-mounted lamp 13,6 Watt / converter 30 Watt 1580 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	640 640		4 3 2 S 4 3 2 S 1 0 6 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numb	er	Hinge	
Mirror cabin	ets Series A								
Mirror cabin	mirror cabinet 1 LED surface-mounted lamp 13,6 Watt / converter 30 Watt 1580 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1400 1400	640		4 3 4 S 4 3 4 S 1 0 6 3	F 1		
	mirror cabinet 1 flyover shelf with LED lighting 4,6 Watt / converter 15 Watt 351 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	700 700	656 656	1	4 3 7 S 4 3 7 S	F 2		
	mirror cabinet 1 flyover shelf with LED lighting 6,5 Watt / converter 15 Watt 499 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	900	656		4 3 9 S 4 3 9 S	F 2		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	
Mirror cabin	ets Series B								
	mirror cabinet 1 flyover shelf with LED lighting 9,4 watt / converter 15 watt 721 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	656 656	1	4 3 2 S 4 3 2 S 1 0 6 3			
Mirror cabin	mirror cabinet 1 flyover shelf with LED lighting 9,4 watt / converter 15 watt 721 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: G without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1400 1400	656 656	1	4 3 4 S 4 3 4 S 1 0 6 3			
WIIITOI CADIII	CIS SCHOS C								
	mirror cabinet 1 LED panel light 9,9 watt / converter 15 watt 1200 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	700 700	650 650		4 3 7 S 4 3 7 S			
	בט wasnbasin iignung				r 2	1 0 6 3	00		

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	r :	Hinge	
Mirror cabinets Series C								
mirror cabinet 1 LED panel light 12,9 watt / converter 30 watt 1700 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	900	650 650		439S 439S			
mirror cabinet 1 LED panel light 17,28 watt / converter 30 watt 2200 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1200 1200	650 650		4 3 2 S 4 3 2 S			
mirror cabinet 1 LED panel light 20,5 watt / converter 30 watt 2540 lumens / 6500 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F without bevelled edges with bevelled edges Additional accessories LED washbasin lighting	150 150	1400 1400	650		4 3 4 S 4 3 4 S			

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle ni	ımb	er	Hinge	
Sets	Consisting of: washbasin, cast mineral, white, 712 mm Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm									
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 302 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	510 510	712 712	520 520	SET					
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 1 4 1 1	2 3			
	Consisting of: washbasin, cast mineral, white, 912 mm Washbasin base unit 900 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm									
	without LED lighting with LED lighting LED converter 12 V, 15 Watt 432 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	521 521	912 912	520 520	SET					
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting				PZ PZ PZ	1 3 1 4 1 1	2 3			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	
Sets									
	Consisting of: Washbasin, cast mineral, white, 1212 mm washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm								
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 562 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	497 497	1212 1212	520 520		VU12 VU12	1 B 1		
	Consisting of: washbasin mineral, white, 1412 mm washbasin base unit 1400 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 630 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 motion sensor for LED lighting	510 510	1412 1412			VU14 VU14	1 B 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	
Sets									
0 0 0 0	Consisting of: Double washbasin white cast mineral, 1412 mm washbasin base unit 1400 mm 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail sidewise carcass depth = 400 mm								
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 605 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	560 560	1412 1412	520 520	l	V U 4 D V U 4 D	1 B 1		
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces) motion sensor for LED lighting				PZ PZ PZ	1 3 6 7 1 4 2 3 1 1 4 1			
Universal - \	washbasin base unit								
	Washbasin base unit 2 doors 1 top cover 330 mm deep with syphon cut- out (depth: 240 mm, width: 80 mm) grain pattern vertical for free hanging washbasin	300	600	496	WUA	3 1 6 0	A		
Tall units									
1120 160 320	Tall unit 1 door 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	300 400	1600 1600		0830	-	L/R L/R	
	on the the washbasin manufacturer at the beginning of the								

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article n	umber	Hinge	
Tall units								
1120	Tall unit 2 doors 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	600	1600	H N A 0 8	6 0 5		
· 🗐	Tall unit	300	300	1600	H N A 0 2	3 0 0 1	L/R	
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	400	1600	H N A 0 2	4 0 0 1	L/R	
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	H N A 0 2	6 0 0 1		
Tall unit-she	elf							
238 🕽	Tall unit-shelf with open shelf space in carcass colour	150	300	1600	R G 10	3 0 0 1		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle numbe	er	Hinge	
Tall unit-she	elf								
374 366 366 374 374 374 374 374 374 374 374 374 374	Tall unit-shelf with mirror surface 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 2		
374 1 1 366 366 374 Central units	Tall unit-shelf 4 functional hooks 4 shelves compartments in carcass colour	150	300	1600	RG	1030	0 3		
160	medium-high unit 1 door 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300 300	300 400			8 8 3 A 8 8 4 A			
160	medium-high unit 2 doors 2 glass shelves (top) 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	600	1296	MNA	8 8 6 A	0 1		
1280	medium-high unit 1 door 4 glass shelves 1 top cover 325 mm deep	300 300	300 400			8 1 3 A 8 1 4 A			

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Central unit	S					
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 325 mm deep	300	600	1296	M N A 8 1 6 A 0 1	
Highboards						
	Highboard 1 door	300	300	656	HBA413A01	
640	1 glass shelf 1 top cover 325 mm deep	300	400	656	HBA414A01	L/R
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	HBA416A01	
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep					
÷	Volume of laundry basket: 25 liters	300	300	656	HBA413W01	
	Volume of laundry basket: 35 liters	300	400	656	HBA414W01	
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep	200	000	050	U.D.A.4.6.Wo.4	
·	Volume of laundry basket: 55 liters	300	600	656	H B A 4 1 6 W 0 1	
640	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300 300	300 400		HBA553A01 HBA554A01	



Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge
Highboards						
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	HBA 5 5 6 A 0	1
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters	300	300	816	H B A 5 5 3 W 0	1
+	Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	400	816	HBA554W0	
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	HBA556W0	
Wall units	Wall unit	150	300	640	OGA4130	L/R
640	1 door 1 glass shelf	150	400	640	O G A 4 1 4 0	L/R
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA 4160	
Base units						
160	Base unit 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300 300	300 400	496 496	U N A 3 4 3 A 0 U N A 3 4 4 A 0	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Arti	cle num	ber	Hinge	
Base units									
320	Base unit 1 drawer with buffered closing 1 pull-out with buffered closing incl. drawer rail 1 top cover 325 mm deep	300	600	496	UNA	3 4 6 /	A 0 1		
Shelves									
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	RGL	113	0 0 1		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	RGL	116	0 0 2		
	functional shelf Edges are cut with a mitre veritcal and horizontal mounting possible please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	RGL	1 1 9	0 0 3		
Glass shelfs	5								
-	Glass shelf incl. metal holder								-
	400 mm wide incl. 2 metal brackets	130	400	8	A B G	134	0 8		
	600 mm wide incl. 2 metal brackets	130	600	8	A B G	136	0 0 8		
	700 mm wide incl. 2 metal brackets	130	700	8	A B G	137	0 8		
	900 mm wide incl. 3 metal brackets	130	900	8	A B G	139	0 8		
	1200 mm wide incl. 3 metal brackets	130	1200	8	A B G	1 3 1	2 0 8		
	1400 mm wide incl. 4 metal brackets	130	1400	8	A B G	131	4 0 8		

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm			er	Hinge	
Accessories									
	Towel holder chrome gloss front opened to fit on carcass at side Please observe carcass depth and furniture height	380	50	10	PΖ	1 1 2 7	4 5		
	Towel holder one-armed extendable Chrome hgl. wall-mounted	330-567	44	44	PΖ	1137	1		
	Towel holder two-armed extendable Chrome hgl. wall-mounted	322-562	87	47	PΖ	1137	2		
	Motion sensor for LED lighting of washbasins or washbasin base units Term and sensitivity of lighting are adjustable	20	88	45	PΖ	1141			
	LED washbasin lighting 2,4 Watt / 168 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	560	10	PΖ	1063	6 0		
	LED washbasin lighting 3,9 Watt / 287 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	860	10	PZ	1063	9 0		
	LED washbasin lighting 5,3 Watt / 371 lumens / 6500 Kelvin 1 switch element to fit underneath mirror cabinet This product contains a light source with energy efficiency class: G not suitable with Emotion lighting	10	1160	10	PΖ	1063	1 2		

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number		Hinge	
Accessories								
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome	30	150	150	PΖ	1 2 3 3		
2	Touch LED Dimmer for LED mirror cabinets and lightings				PΖ	1 0 5 7		
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 40				PΖ	1 3 6 7		
	Space-saving drain stench trap from GEBERIT made of plastic, in white nominal diameter: 32				PZ	1 4 2 3		

Program 054 - dimensional drawings

SET VU70 SET VU90 912 712 458 0 0 822 SET VU12 SET VU14 1412 ca.1200 ca.156 ca.156 ca.900 **(H)** 722 311 822 SET VU4D electrical connections for mirror cabinets 1412 484 464

560 459 \bigcirc \bigcirc ca. 530 _____ _____260 ___ 360 - 700 260

1820 mm. von OKFFB OKFFB OKFFB=Oberkante Fertigfußboden

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.